

CERTIFICATE OF ANALYSIS




Sample ID: D9 20mg
 Customer: Order Center Co

Product Name: D9 20mg
 Batch #:

Extraction Date(s): 05/12/2026 Analysis Date(s): 05/12/2026
 Extraction Technician: Luis S. Method: HPLC-VWD
 Analytical Chemist: Dhruv P. Test: Potency

Sample amount: mg/g 0.0097 mg/u 0.410



CANNABINOID PROFILE

Mycotoxins NOT TESTED	Residuals NOT TESTED	Terpenes NOT TESTED	Water Activity NOT TESTED	Microbials NOT TESTED	Moisture NOT TESTED	Pesticides NOT TESTED	Filtration NOT TESTED	Heavy Metals NOT TESTED
---------------------------------	--------------------------------	-------------------------------	-------------------------------------	---------------------------------	-------------------------------	---------------------------------	---------------------------------	-----------------------------------

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 <ULOL Above upper limit of linearity
 MG/G Milligram per gram
 MG/U Milligram per unit

TEST	UG/G	MG/U	MG/G	%	0	1	50	100
D9-THCA	0	0	0	ND				
D9-THC	53.2049	21.81	0.516	0.05%				
D10-THC	0	0	0	ND				
D8-THC	0	0	0	ND				
CBDA	0	0	0	ND				
CBD	0	0	0	ND				
CBDVA	0	0	0	ND				
CBDV	0	0	0	ND				
CBNA	0	0	0	ND				
CBN	0	0	0	ND				
CBGA	0	0	0	ND				
CBG	0	0	0	ND				
THCVA	0	0	0	ND				
THCV	0	0	0	ND				

TEST	UG/G	MG/U	MG/G	%	0	1	50	100
CBC	0	0	0	ND				
CBCA	0	0	0	ND				
D8-THCO	0	0	0	ND				
EXO-THC	0	0	0	ND				
11-Hydroxy	0	0	0	ND				
D9-THCP	0	0	0	ND				
D8-THCP	0	0	0	ND				
HHC	0	0	0	ND				
HHC-P	0	0	0	ND				
THCH	0	0	0	ND				
7-Hydroxy	0	0	0	ND				
CBL	0	0	0	ND				
CBLA	0	0	0	ND				
D8-THCV	0	0	0	ND				

Max Active THC 0.05% MGU 21.81	Max Active CBD ND MGU 0.00	T.Active Cannabinoids ND MGU 0.00	Total Cannabinoids 0.05% MGU 21.81
---	---	--	---

Following USDA guidelines on uncertainty, Express Test Labs is uncertainty are calculated for CBDA and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%.

Approved by:
Dhruv Patel
 Lab director

 Signature
 05/12/2026
 Signed on



Agilent | Powered by Agilent



Reporting Limits will vary based on sample extraction weight used for the analysis. Express Test Labs, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.